

### Vorteile

- Universal Handtuch in Tissuequalität aus dem Interfold Sortiment, erfüllt Ihre grundlegenden Anforderungen
- •2-lagiges Tissue
- •Hochweiß



# Produkteigenschaften

Artikel	System	Lagen	Bedruckt	Geprägt	Farbe
140299	H2 – Interfold System	2	Nein	Nein	Weiß

### Beschreibung

Universal Handtuch in Tissuequalität aus dem Interfold Sortiment, erfüllt Ihre grundlegenden Anforderungen.

# Versanddaten

### Verbrauchseinheit

EAN	7322540365191	
Stück	226	
Höhe	130 mm	
Breite	85 mm	
Länge	212 mm	
Volumen	2.3 dm3	
Nettogewicht	440 g	
Bruttogewicht	447 g	

## Transporteinheit

EAN	7322540365207	
Stück	4746	
Verbrauchseinhei ten	21	
Material	Carton	
Höhe	227 mm	
Breite	406 mm	
Länge	608 mm	
Volumen	56.0 dm3	
Nettogewicht	9.24 kg	
Bruttogewicht	10.01 kg	

### Palette

EAN	7322540366037	
Stück	151872	
Verbrauchseinhei ten	672	
Höhe	1966 mm	
Breite	800 mm	
Länge	1200 mm	
Volumen	1.8 m3	
Nettogewicht	295.55 kg	
Bruttogewicht	320.16 kg	

### **Umweltschutz**

#### Content

Recycled fibres, Chemicals

#### Material

Recycled fibresRecovered paper can be produced both from collected newsprint, magazines and office waste. The paper is washed with water and treated with chemicals under high temperature and then filtered. Different fibres demand different processes and this determines the end product properties, and makes the fibre type (recovered or virgin) less important. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material. Bleaching of fibresBleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view . The used functional chemicals are:Wetstrength agentDry strength agentIf coloured = Dye Fixing agentsFluorescent whitening agentIf used = GlueThe process chemicals are:AntipitchProtection agentYankee coatingDefoamerDispersing agents and surfactantspH and charge controlRetention aidsBroke treatment chemicalsDrainage aid

#### Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Environmental label = EcolabelThis product does not have an ecolabel Date of issue 2010-02-25

Revision date

#### **Production**

This product is produced at Kostheim mill, Germany, and certified according to ISO 9001:2000, ISO 14001 and EMAS.

#### **Destruction**

This product is mainly used for personal hygiene and can be collected together with household waste.